

Chapter 1: Foundations for Medical-Surgical Nursing

Multiple Choice

Identify the choice that best completes the statement or answers the question.

- ____ 1. The medical-surgical nurse identifies a clinical practice issue and wants to determine if there is sufficient evidence to support a change in practice. Which type of study provides the strongest evidence to support a practice change?
 - 1) Randomized control study
 - 2) Quasi-experimental study
 - 3) Case-control study
 - 4) Cohort study
- ____ 2. The medical-surgical unit recently implemented a patient-centered care model. Which action implemented by the nurse supports this model?
 - 1) Evaluating care
 - 2) Assessing needs
 - 3) Diagnosing problems
 - 4) Providing compassion
- ____ 3. Which action should the nurse implement when providing patient care in order to support The Joint Commission's (TJC) National Patient Safety Goals (NPSG)?
 - 1) Silencing a cardiorespiratory monitor
 - 2) Identifying each patient using one source
 - 3) Determining patient safety issues upon admission
 - 4) Decreasing the amount of pain medication administered
- ____ 4. Which interprofessional role does the nurse often assume when providing patient care in an acute care setting?
 - 1) Social worker
 - 2) Client advocate
 - 3) Care coordinator
 - 4) Massage therapist
- ____ 5. The medical-surgical nurse wants to determine if a policy change is needed for an identified clinical problem. Which is the first action the nurse should implement?
 - 1) Developing a question
 - 2) Disseminating the findings
 - 3) Conducting a review of the literature
 - 4) Evaluating outcomes of practice change
- ____ 6. The nurse is evaluating the level of evidence found during a recent review of the literature. Which evidence carries the lowest level of support for a practice change?
 - 1) Level IV
 - 2) Level V
 - 3) Level VI
 - 4) Level VII
- ____ 7. The nurse is reviewing evidence from a quasi-experimental research study. Which level of evidence should the nurse identify for this research study?
 - 1) Level I
 - 2) Level II

- 3) Level III
 - 4) Level IV
- _____ 8. Which level of evidence should the nurse identify when reviewing evidence from a single descriptive research study?
- 1) Level IV
 - 2) Level V
 - 3) Level VI
 - 4) Level VII
- _____ 9. Which statement should the nurse make when communicating the “S” in the SBAR approach for effective communication?
- 1) “The patient presented to the emergency department at 0200 with lower left abdominal pain.”
 - 2) “The patient rated the pain upon admission as a 9 on a 10-point numeric scale.”
 - 3) “The patient has no significant issues in the medical history.”
 - 4) “The patient was given a prescribed opioid analgesic at 0300.”
- _____ 10. The staff nurse is communicating with the change nurse about the change of status of the patient. The nurse would begin her communication with which statement if correctly using the SBAR format?
- 1) “The patient’s heartrate is 110.”
 - 2) “I think this patient needs to be transferred to the critical care unit.”
 - 3) “The patient is a 68-year-old male patient admitted last night.”
 - 4) “The patient is complaining of chest pain.”
- _____ 11. Which nursing action exemplifies the Quality and Safety Education for Nursing (QSEN) competency of safety?
- 1) Advocating for a patient who is experiencing pain
 - 2) Considering the patient’s culture when planning care
 - 3) Evaluating patient learning style prior to implementing discharge instructions
 - 4) Assessing the right drug prior to administering a prescribed patient medication
- _____ 12. Which type of nursing is the root of all other nursing practice areas?
- 1) Pediatric nursing
 - 2) Geriatric nursing
 - 3) Medical-surgical nursing
 - 4) Mental health-psychiatric nursing
- _____ 13. Which did the Nursing Executive Center of The Advisory Board identify as an academic-practice gap for new graduate nurses?
- 1) Patient advocacy
 - 2) Patient education
 - 3) Disease pathophysiology
 - 4) Therapeutic communication
- _____ 14. Which statement regarding the use of the nursing process in clinical practice is accurate?
- 1) “The nursing process is closely related to clinical decision-making.”
 - 2) “The nursing process is used by all members of the interprofessional team to plan care.”
 - 3) “The nursing process has 4 basic steps: assessment, planning, implementation, evaluation.”
 - 4) “The nursing process is being replaced by the implementation of evidence-based practice.”
- _____ 15. Which is the basis of nursing care practices and protocols?

- 1) Assessment
- 2) Evaluation
- 3) Diagnosis
- 4) Research

- _____ 16. Which is a common theme regarding patient dissatisfaction related to care provided in the hospital setting?
- 1) Space in hospital rooms
 - 2) Medications received to treat pain
 - 3) Time spent with the health-care team
 - 4) Poor quality food received from dietary
- _____ 17. The nurse manager is preparing a medical-surgical unit for The Joint Commission (TJC) visit. With the nurse manager presenting staff education focusing on TJC benchmarks, which of the following topics would be most appropriate?
- 1) Implementation of evidence-based practice
 - 2) Implementation of patient-centered care
 - 3) Implementation of medical asepsis practices
 - 4) Implementation of interprofessional care
- _____ 18. Which aspect of patient-centered care should the nurse manager evaluate prior to The Joint Commission site visit for accreditation?
- 1) Visitation rights
 - 2) Education level of staff
 - 3) Fall prevention protocol
 - 4) Infection control practices
- _____ 19. The medical-surgical nurse is providing patient care. Which circumstance would necessitate the nurse verifying the patient's identification using at least two sources?
- 1) Prior to delivering a meal tray
 - 2) Prior to passive range of motion
 - 3) Prior to medication administration
 - 4) Prior to documenting in the medical record
- _____ 20. The nurse is providing care to several patients on a medical-surgical unit. Which situation would necessitate the nurse to use SBAR during the hand-off process?
- 1) Wound care
 - 2) Discharge to home
 - 3) Transfer to radiology
 - 4) Medication education
- _____ 21. The nurse reviews research to provide rationale for updating the unit's wound care policy. On which level of evidence does the nurse focus during review of the literature?
- 1) I
 - 2) II
 - 3) III
 - 4) IV
- _____ 22. The nurse develops a research question based on observations noted while providing care to patients on the medical-surgical unit. Which step does the nurse implement next during the process of evidence-based practice?
- 1) Search for the best evidence.
 - 2) Evaluate the quality of the evidence.
 - 3) Integrate the evidence into unit practice.

4) Disseminate the evidence to the staff on the unit.

- ____ 23. The medical-surgical nurse transports a patient to the surgical suite for a hip replacement surgery. Which action does the nurse complete during the “time-out” process with the surgical team?
- 1) Verifying the patient’s informed consent is signed
 - 2) Identifying the patient by asking, “Are you Mrs. Smith?”
 - 3) Asking the patient, “Which side are you having surgery on today?”
 - 4) Ensuring the patient’s surgical checklist is complete and placed on the medical record
- ____ 24. The medical-surgical nurse prepares to transfer a patient to the rehabilitation unit. Which is the best nursing action to enhance patient safety in this situation?
- 1) Identify the patient using two identifiers.
 - 2) Perform hand hygiene prior to touching the patient.
 - 3) Conduct a time-out when handing off care to the new unit.
 - 4) Provide a written handoff communication using the SBAR method.

Multiple Response

Identify one or more choices that best complete the statement or answer the question.

- ____ 25. The staff nurse is teaching a group of student nurses the situations that necessitate hand-off communication. Which student responses indicate the need for further education related to this procedure? *Select all that apply.*
- 1) “A hand-off is required prior to administering a medication.”
 - 2) “A hand-off is required during change of shift.”
 - 3) “A hand-off is required for a patient is transferred to the surgical suite.”
 - 4) “A hand-off is required whenever the nurse receives a new patient assignment.”
 - 5) “A hand-off is required prior to family visitation.”
- ____ 26. Which actions by the nurse enhance patient safety during medication administration? *Select all that apply.*
- 1) Answering the call bell while transporting medications for a different patient
 - 2) Identifying the patient using two sources prior to administering the medication
 - 3) Holding a medication if the patient’s diagnosis does not support its use
 - 4) Administering the medication two hours after the scheduled time
 - 5) Having another nurse verify the prescribed dose of insulin the patient is to receive
- ____ 27. The medical-surgical nurse assumes care for a patient who is receiving continuous cardiopulmonary monitoring. Which actions by the nurse enhance safety for this patient? *Select all that apply.*
- 1) Silencing the alarm during family visitation
 - 2) Assessing the alarm parameters at the start of the shift
 - 3) Responding to the alarm in a timely fashion
 - 4) Decreasing the alarm volume to enhance restful sleep
 - 5) Adjusting alarm parameters based on specified practitioner prescription
- ____ 28. The nurse is planning an interprofessional care conference for a patient who is approaching discharge from the hospital. Which members of the interprofessional team should the nurse invite to attend? *Select all that apply.*
- 1) Physician
 - 2) Pharmacist
 - 3) Unit secretary
 - 4) Social worker
 - 5) Home care aide

- _____ 29. The nurse manager wants to designate a member of the nursing team as the care coordinator for a patient who will require significant care during the hospitalization. Which skills should this nurse possess in order to assume this role? *Select all that apply.*
- 1) Effective clinical reasoning
 - 2) Effective communication skills
 - 3) Effective infection control procedures
 - 4) Effective documentation
 - 5) Effective intravenous skills
- _____ 30. The nurse provides care to patients on the medical-surgical unit. Which nursing actions support the Joint Commissions National Patient Safety Goals when providing patient care? *Select all that apply.*
- 1) Silencing a patient's cardiorespiratory monitor while the family visits
 - 2) Asking the unlicensed assistive personnel to remove clutter from the patient's room
 - 3) Using the SBAR method to provide patient information to radiology prior to transfer
 - 4) Encouraging the patient's health-care provider to wash the hands prior to assessing a surgical wound
 - 5) Identifying the patient prior to administering medication by asking, "What is your date of birth?"

Chapter 1: Foundations for Medical-Surgical Nursing

Answer Section

MULTIPLE CHOICE

1. ANS: 1

Chapter number and title: 1, Foundations for Medical Surgical Practice

Chapter learning objective: Discussing the incorporation of evidence-based practices into medical-surgical nursing

Chapter page reference: 003-004

Heading: Evidence-Based Nursing Care

Integrated Processes: Nursing Process: Planning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Comprehension [Understanding]

Concept: Evidence-Based Practice

Difficulty: Easy

	Feedback
1	Systematic reviews of randomized control studies (Level I) are the highest level of evidence because they include data from selected studies that randomly assigned participants to control and experimental groups. The lower the numerical rating of the level of evidence indicates the highest level of evidence; therefore, this type of study provides the strongest evidence to support a practice change.
2	Quasi-experimental studies are considered Level III; therefore, this study does not provide the strongest evidence to support a practice change.
3	Case-control studies are considered Level IV; therefore, this study does not provide the strongest evidence to support a practice change.
4	Cohort studies are considered Level IV; therefore, this study does not provide the strongest evidence to support a practice change.

PTS: 1

CON: Evidence-Based Practice

2. ANS: 4

Chapter number and title: 1, Foundations of Medical-Surgical Practice

Chapter learning objective: Explaining the importance of patient-centered care in the management of medical-surgical patients

Chapter page reference: 004-005

Heading: Patient-Centered Care in the Medical-Surgical Setting

Integrated Processes: Caring

Client Need: Psychosocial Integrity

Cognitive level: Application [Applying]

Concept: Nursing Roles

Difficulty: Moderate

	Feedback
1	Evaluation is a step in the nursing process; however, this is not an action that supports the patient-centered care model.
2	Assessment is a step in the nursing process; however, this is not an action that supports the patient-centered care model.
3	Diagnosis is a step in the nursing process; however, this is not an action that supports

	the patient-centered care model.
4	Compassion is a competency closely associated with patient-centered care; therefore, this action supports the patient-centered model of care.

PTS: 1 CON: Nursing Roles

3. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing implications to medical-surgical nurses of Quality and Safety Education for Nurses (QSEN) competencies

Chapter page reference: 005-006

Heading: Patient Safety Outcomes

Integrated Processes: Nursing Process: Implementation

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Application [Applying]

Concept: Safety

Difficulty: Moderate

	Feedback
1	Safely using alarms is a NPSG identified by TJC. Silencing a cardiorespiratory monitor is not nursing action that supports this NPSG.
2	Patient identification using two separate resources is a NPSG identified by TJC. Identifying a patient using only one source does not support this NPSG.
3	Identification of patient safety risks is a NPSG identified by the TJC. Determining patient safety issues upon admission supports this NPSG.
4	Safe use of medication is a NPSG identified by the TJC. Decreasing the amount of pain medication administered does not support this NPSG.

PTS: 1 CON: Safety

4. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Describing the role and competencies of medical-surgical nursing

Chapter page reference: 006-007

Heading: Interprofessional Collaboration and Communication

Integrated Processes: Nursing Process: Implementation

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Comprehension [Understanding]

Concept: Nursing Roles

Difficulty: Easy

	Feedback
1	The nurse does not often assume the interprofessional role of social worker when providing patient care in an acute care setting.
2	The nurse does not often assume the interprofessional role of client advocate role when providing patient care in an acute care setting.
3	The nurse often assumes the interprofessional role of care coordinator when providing patient care in an acute care setting.
4	The nurse does not often assume the interprofessional role of massage therapist when providing patient care in an acute care setting.

PTS: 1 CON: Nursing Roles

5. ANS: 1

Chapter number and title: 1, Foundations of Medical-Surgical Practice

Chapter learning objective: Discussing the incorporation of evidence-based practices into medical-surgical nursing

Chapter page reference: 003

Heading: Box 1.3 Steps of Evidence-Based Practice

Integrated Processes: Nursing Process: Implementation

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Analysis [Analyzing]

Concept: Evidence-Based Practice

Difficulty: Difficult

	Feedback
1	The first step of evidence-based practice is to develop a question based on the clinical issue.
2	The last step of evidence-based practice is to disseminate findings.
3	The second step of evidence-based practice is to conduct a review of the literature, or current evidence, available.
4	The fifth step of evidence-based practice is to evaluate the outcomes associated with the practice change.

PTS: 1 CON: Evidence-Based Practice

6. ANS: 4

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing the incorporation of evidence-based practices into medical-surgical nursing

Chapter page reference: 004

Heading: Box 1.4 Evaluating Levels of Evidence

Integrated Processes: Nursing Process: Planning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Comprehension [Understanding]

Concept: Evidence-Based Practice

Difficulty: Easy

	Feedback
1	The lower the numeric value of the evidence the greater the support for a change in practice. Level IV evidence does not carry the lowest level of support for a practice change.
2	The lower the numeric value of the evidence the greater the support for a change in practice. Level V evidence does not carry the lowest level of support for a practice change.
3	The lower the numeric value of the evidence the greater the support for a change in practice. Level VI evidence does not carry the lowest level of support for a practice change.
4	The lower the numeric value of the evidence the greater the support for a change in practice. Level VII evidence carries the lowest level of support for a practice change.

PTS: 1 CON: Evidence-Based Practice

7. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing the incorporation of evidence-based practices into medical-surgical nursing

Chapter page reference: 004

Heading: Box 1.4 Evaluating Levels of Evidence

Integrated Processes: Nursing Process: Implementation

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Application [Applying]

Concept: Evidence-Based Practice

Difficulty: Moderate

	Feedback
1	A systemic review of randomized controlled studies, not a quasi-experimental research study, is identified as Level I.
2	Evidence from at least one study randomized control study, not a quasi-experimental research study, is identified as Level II.
3	A quasi-experimental research study is identified as a Level III.
4	Evidence from case-control or cohort studies, not a quasi-experimental research study, is identified as a Level IV.

PTS: 1

CON: Evidence-Based Practice

8. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing the incorporation of evidence-based practices into medical-surgical nursing

Chapter page reference: 004

Heading: Box 1.4 Evaluating Levels of Evidence

Integrated Processes: Nursing Process: Implementation

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Application [Applying]

Concept: Evidence-Based Practice

Difficulty: Moderate

	Feedback
1	Evidence from case-control or cohort studies, not a single descriptive research study, is identified as a Level IV.
2	Evidence from systemic reviews of descriptive or qualitative studies, not a single descriptive research study, is identified as Level V.
3	Evidence from a single descriptive research study is identified as Level VI.
4	Evidence from expert individual authorities or committees, not a single descriptive research study, is identified as Level VII.

PTS: 1

CON: Evidence-Based Practice

9. ANS: 1

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Describing the role of interprofessional collaboration and teamwork in the provision of safe, quality patient care

Chapter page reference: 005

Heading: Box 1.6 The SBAR Approach for Effective Communication

Integrated Processes: Nursing Process: Implementation
 Client Need: Safe and Effective Care Environment/Management of Care
 Cognitive level: Application [Applying]
 Concept: Communication
 Difficulty: Moderate

	Feedback
1	The “S” reflects the patient’s current situation which is communicated by providing a brief statement of the issue. This statement by the nurse exemplifies the current situation.
2	The “A” reflects the patient’s assessment data. This statement by the nurse exemplifies the patient’s assessment data.
3	The “B” reflects the patient’s medical history. This statement by the nurse exemplifies communicating the patient’s history related to the current problem.
4	The “R” reflects specific actions needed to address the situation. This statement by the nurse exemplifies the actions implemented to address current level of pain.

PTS: 1 CON: Communication

10. ANS: 4

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice
 Chapter learning objective: Describing the role of interprofessional collaboration and teamwork in the provision of safe, quality patient care
 Chapter page reference: 005
 Heading: Box 1.6 The SBAR Approach for Effective Communication
 Integrated Processes: Nursing Process: Planning
 Client Need: Safe and Effective Care Environment/Management of Care
 Cognitive level: Analysis [Analyzing]
 Concept: Communication
 Difficulty: Moderate

	Feedback
1	This statement is the “A” in the SBAR communication. This is an assessment finding by the staff nurse.
2	This statement is the “R” in the SBAR communication. This is the recommendation by the staff nurse.
3	This statement is the “B” in the SBAR communication. This is the background information.
4	This statement is the “S” in the SBAR communication. This is the situation information.

PTS: 1 CON: Communication

11. ANS: 4

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice
 Chapter learning objective: Discussing implications to medical-surgical nurses of Quality and Safety Education for Nurses (QSEN) competencies
 Chapter page reference: 006
 Heading: Box 1.8 Quality and Safety Education for Nursing (QSEN) Competencies
 Integrated Processes: Nursing Process: Implementation
 Client Need: Safe and Effective Care Environment/Management of Care
 Cognitive level: Application [Applying]

Concept: Safety
Difficulty: Moderate

	Feedback
1	Advocating for a patient who is in pain exemplifies the QSEN competency of patient-centered care, not safety.
2	Considering the patient's cultural background exemplifies the QSEN competency of patient-centered care, not safety.
3	Evaluating the patient's learning style prior to implementing discharge instructions exemplifies the QSEN competency of patient-centered care, not safety.
4	Assessing the right drug prior to administering a prescribed medication exemplifies the QSEN competency of safety.

PTS: 1 CON: Safety

12. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice
Chapter learning objective: Describing the role and competencies of medical-surgical nursing
Chapter page reference: 002
Heading: Introduction
Integrated Processes: Nursing Process: Planning
Client Need: Safe and Effective Care Environment/Management of Care
Cognitive level: Knowledge [Remembering]
Concept: Nursing
Difficulty: Easy

	Feedback
1	Pediatric nursing is not the root of all nursing practice areas.
2	Geriatric nursing is not the root of all nursing practice areas.
3	Medical-surgical nursing is the root of all nursing practice as care provided here can be implemented in all other areas of nursing practice.
4	Mental health-psychiatric nursing is not the root of all nursing practice areas.

PTS: 1 CON: Nursing

13. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice
Chapter learning objective: Describing the role and competencies of medical-surgical nursing
Chapter page reference: 002-003
Heading: Competencies in Medical-Surgical Nursing
Integrated Processes: Teaching and Learning
Client Need: Physiological Integrity/Physiological Adaptation
Cognitive level: Knowledge [Remembering]
Concept: Critical Thinking
Difficulty: Easy

	Feedback
1	Patient advocacy is not identified as an academic-practice gap for new graduate nurses.
2	Patient education is not identified as an academic-practice gap for new graduate nurses.
3	Knowledge of pathophysiology of patient conditions is identified as an academic-practice gap for new graduate nurses.

4	Therapeutic communication is not identified as an academic-practice gap for new graduate nurses.
---	--

PTS: 1 CON: Critical Thinking

14. ANS: 1

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice”

Chapter learning objective: Describing the role and competencies of medical-surgical nursing

Chapter page reference: 003

Heading: Competencies Related to the Nursing Process

Integrated Processes: Teaching and Learning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Comprehension [Understanding]

Concept: Critical Thinking

Difficulty: Easy

	Feedback
1	The nursing process is closely related to the nurse’s decision-making in the clinical environment. This statement is accurate.
2	The nursing process is not used by all members of the interprofessional team to plan care.
3	The nursing process has 5, not 4, basic steps: assessment, diagnosis, planning, implementation, and evaluation.
4	The nursing process is not being replaced by the implementation of evidence-based practice.

PTS: 1 CON: Critical Thinking

15. ANS: 4

Chapter number and title: 1, Foundations for Medical-Surgical Nursing Practice

Chapter learning objective: Discussing the incorporation of evidence-based practices into medical-surgical nursing

Chapter page reference: 003-004

Heading: Evidence-Based Nursing Care

Integrated Processes: Teaching and Learning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Knowledge [Remembering]

Concept: Evidence-Based Practice

Difficulty: Easy

	Feedback
1	Assessment is a step in the nursing process; however, this is not the basis for nursing care practices and protocols.
2	Evaluation is a step in the nursing process; however, this is not the basis for nursing care practices and protocols.
3	Diagnosis is a step in the nursing process; however, this is not the basis for nursing care practices and protocols.
4	Evidence that is obtained through research is the basis for nursing care practices and protocols.

PTS: 1 CON: Evidence-Based Practice

16. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Explaining the importance of patient-centered care in the management of medical-surgical patients

Chapter page reference: 004-005

Heading: Patient-Centered Care in the Medical-Surgical Setting

Integrated Processes: Teaching and Learning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Knowledge [Remembering]

Concept: Communication

Difficulty: Easy

	Feedback
1	Space in each hospital room is not a common theme of patient dissatisfaction.
2	Medications received for pain management is not a common theme of patient dissatisfaction.
3	A lack of time with members of the health care team is a common theme of patient dissatisfaction.
4	Poor food quality is not a common theme of patient dissatisfaction.

PTS: 1

CON: Communication

17. ANS: 2

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Explaining the importance of patient-centered care in the management of medical-surgical patients

Chapter page reference: 004-005

Heading: Patient-Centered Care in the Medical-Surgical Setting

Integrated Processes: Teaching and Learning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Application [Applying]

Concept: Quality Improvement

Difficulty: Moderate

	Feedback
1	Implementation of evidence-based practice is not the benchmark in which acute care facilities are evaluated against.
2	Implementation of patient-centered care is the benchmark in which acute care facilities are evaluated against.
3	Implementation of medical asepsis practices is not the benchmark in which acute care facilities are evaluated against.
4	Implementation of interprofessional care is not the benchmark in which acute care facilities are evaluated against.

PTS: 1

CON: Quality Improvement

18. ANS: 1

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Explaining the importance of patient-centered care in the management of medical-surgical patients

Chapter page reference: 004-005

Heading: Patient-Centered Care in the Medical-Surgical Setting

Integrated Processes: Nursing Process: Planning
 Client Need: Safe and Effective Care Environment/Management of Care
 Cognitive level: Application [Applying]
 Concept: Quality Improvement
 Difficulty: Moderate

	Feedback
1	Visitation rights should be evaluated prior to a TJC accreditation site visit as this aspect of patient-centered care is incorporated into the site evaluation.
2	The education level of staff is not evaluated prior to a TJC accreditation visit. This information should be evaluated for a hospital that is attempting to earn Magnet status.
3	While the fall prevention program will be reviewed during a TJC accreditation site visit this is not an aspect of patient-centered care.
4	While infection control practices will be reviewed during a TJC accreditation site visit this is not an aspect of patient-centered care.

PTS: 1 CON: Quality Improvement

19. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Practice
 Chapter learning objective: Discussing implications to medical-surgical nurses of Quality and Safety Education for Nurses (QSEN) competencies
 Chapter page reference: 005-006
 Heading: Patient Safety Outcomes
 Integrated Processes: Nursing Process: Planning
 Client Need: Safe and Effective Care Environment/Safety and Infection Control
 Cognitive level: Application [Applying]
 Concept: Safety
 Difficulty: Moderate

	Feedback
1	While the nurse should take care to deliver the meal tray to the correct patient this circumstance does not require verification of patient identity through two sources.
2	While the nurse should take care to implement passive range of motion on the correct patient this circumstance does not require verification of patient identity through two sources.
3	The nurse should identify a patient using two sources prior to medication administration.
4	While the nurse should take care to document patient care in the correct medical record this circumstance does not require verification of patient identity through two sources.

PTS: 1 CON: Safety

20. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice
 Chapter learning objective: Describing the role of interprofessional collaboration and teamwork in the provision of safe, quality patient care
 Chapter page reference: 005-006
 Heading: Patient Safety Outcomes
 Integrated Processes: Nursing Process: Implementation
 Client Need: Safe and Effective Care Environment/Management of Care
 Cognitive level: Application [Applying]

Concept: Communication, Safety
Difficulty: Moderate

	Feedback
1	Effective staff communication is essential to safe patient care, especially during hand-offs. Implementation of wound care is not an example of a hand-off situation.
2	Effective staff communication is essential to safe patient care, especially during hand-offs. Discharge to home is not an example of a hand-off situation.
3	Effective staff communication is essential to safe patient care, especially during hand-offs. Patient transfer to another unit of the hospital necessitate a change in who is responsible for direct patient care; therefore, this situation would necessitate the need for SBAR during the hand-off process.
4	Effective staff communication is essential to safe patient care, especially during hand-offs. Medication education is not an example of a hand-off situation.

PTS: 1 CON: Communication | Safety

21. ANS: 1

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing the incorporation of evidence-based practices into medical-surgical nursing

Chapter page reference: 4

Heading: Evidence-Based Nursing Care

Integrated Processes: Nursing Process

Client Need: Safe and Effective Care Environment

Cognitive level: Knowledge [Remembering]

Concept: Evidence-Based Practice

Difficulty: Easy

	Feedback
1	Systematic reviews of randomized controlled studies (Level I) are the highest level of evidence because they include data from selected studies that randomly assigned participants to control and experimental groups. Randomized controlled studies are considered the gold standard of research, with their findings most valuable. Therefore, the nurse focuses the review on Level I evidence.
2	Level II evidence is based upon the results of a single randomized controlled study.
3	Quasi-experimental studies (Level III) also use the control and experimental groups but lack the random assignment.
4	Both case-control and cohort studies are often conducted in epidemiological studies and are considered Level IV evidence.

PTS: 1 CON: Evidence-Based Practice

22. ANS: 1

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing the incorporation of evidence-based practices into medical-surgical nursing

Chapter page reference: 3

Heading: Evidence-Based Nursing Care

Integrated Processes: Nursing Process

Client Need: Safe and Effective Care Environment

Cognitive level: Knowledge [Remembering]
Concept: Evidence-Based Practice
Difficulty: Easy

	Feedback
1	The first step of evidence-based practice is to develop a research question. Because the nurse has completed this, the next step is to search and collate the best evidence.
2	The third step of evidence-based practice is to evaluate the quality of the evidence.
3	The fourth step of evidence-based practice is to integrate the evidence into practice.
4	The final step of evidence-based practice is to disseminate the evidence. This step is completed only after the fifth step, which is evaluating the outcomes of the practice change.

PTS: 1 CON: Evidence-Based Practice

23. ANS: 3

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice
Chapter learning objective: Explaining the importance of patient-centered care in the management of medical-surgical patients
Chapter page reference: 5, 6
Heading: Patient Safety Outcomes
Integrated Processes: Nursing Process
Client Need: Safe and Effective Care Environment
Cognitive level: Knowledge [Remembering]
Concept: Safety, Nursing, Communication
Difficulty: Easy

	Feedback
1	Verifying that the patient's informed consent is signed is done prior to transporting the patient to the surgical suite.
2	Although identifying the patient is completed during the "time-out" process, this is not the method the nurse uses when identifying the patient. The patient is asked to state his or her first and last name along with their date of birth.
3	Identifying the correct anatomical site for the procedure is an action the nurse completes during the "time-out" process. Asking the patient to state which side the surgery will be completed on is an appropriate action by the nurse in this situation.
4	Ensuring the patient's surgical checklist is completed and placed on the medical record is done prior to transporting the patient to the surgical suite.

PTS: 1 CON: Safety | Nursing | Communication

24. ANS: 4

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice
Chapter learning objective: Describing the role of interprofessional collaboration and teamwork in the provision of safe, quality patient care
Chapter page reference: 5
Heading: Patient Safety Outcomes
Integrated Processes: Nursing Process, Communication and Documentation
Client Need: Safe and Effective Care Environment
Cognitive level: Knowledge [Remembering]
Concept: Collaboration, Communication, Nursing, Nursing Roles, Safety

Difficulty: Easy

	Feedback
1	Although the patient must be identified using two identifiers prior to medication administration and surgical procedures, this is not the best nursing action to enhance patient safety during a transfer from one unit to another.
2	Although hand hygiene should be performed before and after touching a patient, this is not the best nursing action to enhance patient safety during a transfer from one unit to another.
3	A time-out is a procedure implemented to enhance safety for the patient prior to a surgical procedure. This action is not appropriate when transferring a patient from the medical-surgical unit to the rehabilitation unit.
4	Effective staff communication is integral to safe patient care, particularly during “handoffs” such as a change of shift report, receiving patients, and transferring patients to other departments. The SBAR is one approach that decreases communication barriers and focuses on a standard way to state the situation, background, assessment, and recommendation.

PTS: 1

CON: Collaboration | Communication | Nursing | Nursing Roles | Safety

MULTIPLE RESPONSE

25. ANS: 1, 5

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Describing the role of interprofessional collaboration and teamwork in the provision of safe, quality patient care

Chapter page reference: 005-006

Heading: Patient Safety Outcomes

Integrated Processes: Teaching and Learning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Analysis [Analyzing]

Concept: Communication

Difficulty: Difficult

	Feedback
1.	This is correct – this response indicates the need for further education related to this procedure. Hand-off communication is not required prior to the administration of medication. The nurse would, however, verify the patient’s identity using two sources.
2.	This is incorrect – this response does not indicate the need for further education related to this procedure. Hand-off communication is required when patient care is transferred from one provider to another, such as during the change of shift.
3.	This is incorrect – this response does not indicate the need for further education related to this procedure. Hand-off communication is required when patient care is transferred from one provider to another, such as when a patient is transferred to the surgical suite.
4.	This is incorrect – this response does not indicate the need for further education related to this procedure. Hand-off communication is required when patient care is transferred from one provider to another, such as anytime the nurse receives a new patient assignment.
5.	This is correct – this response indicates the need for further education related to this procedure. Hand-off communication is not required prior to family visitation.

PTS: 1 CON: Communication

26. ANS: 2, 3, 5

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing implications to medical-surgical nurses of Quality and Safety

Education for Nurses (QSEN) competencies

Chapter page reference: 005-006

Heading: Patient Safety Outcomes

Integrated Processes: Nursing Process: Implementation

Client Need: Safe and Effective Care Environment/Safety and Infection Control

Cognitive level: Application [Applying]

Concept: Safety

Difficulty: Moderate

	Feedback
1.	This is incorrect. Interruptions should be minimized during the medication administration process; therefore, the nurse should not answer the call bell for another patient while transporting medications for administration.
2.	This is correct. Verification of the right patient is one of the rights of medication administration; therefore, the nurse would identify the patient using two sources prior to the administration of medication.
3.	This is correct. The nurse should ensure that the rationale for all medications are associated with the patient condition; therefore, this action enhances patient safety during medication administration.
4.	This is incorrect. One of the rights of medication administration is the right time, which correlates to 30 minutes before or 30 minutes after the scheduled time. This nursing action would not enhance patient safety during medication administration.
5.	This is correct. Verifying the dose of a high-risk medication, such as insulin, enhances patient safety during medication administration.

PTS: 1 CON: Safety

27. ANS: 2, 3, 5

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing implications to medical-surgical nurses of Quality and Safety

Education for Nurses (QSEN) competencies

Chapter page reference: 005-006

Heading: Patient Safety Outcomes

Integrated Processes: Nursing Process: Implementation

Client Need: Safe and Effective Care Environment/Safety and Infection Control

Cognitive level: Analysis [Analyzing]

Concept: Safety

Difficulty: Difficult

	Feedback
1.	This is incorrect. Monitor alarms should be audible even during family visitation. Inaudible alarms may impede patient safety.
2.	This is correct. The nurse should assess the alarm parameters, comparing to the prescribed settings, at the start of each shift. This action enhanced patient safety.
3.	This is correct. The nurse should respond to all alarms in a timely fashion, which enhances patient safety.

4.	This is incorrect. Monitor alarms should be audible at all times, even when the patient is asleep to enhance patient safety.
5.	This is correct. The nurse should adjust alarm parameters based on specific practitioner prescriptions. This action enhances safety.

PTS: 1 CON: Safety

28. ANS: 1, 2, 4

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Describing the role of interprofessional collaboration and teamwork in the provision of safe, quality patient care

Chapter page reference: 006-007

Heading: Interprofessional Collaboration and Communication

Integrated Processes: Nursing Process: Planning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Application [Applying]

Concept: Collaboration

Difficulty: Moderate

	Feedback
1.	This is correct. The physician is a member of the interprofessional team and should be invited to participate in the care conference.
2.	This is correct. The pharmacist is a member of the interprofessional team and should be invited to participate in the care conference.
3.	This is incorrect. The unit secretary is not a member of the interprofessional team; therefore, would not require an invitation to attend the care conference.
4.	This is correct. The social worker is a member of the interprofessional team; therefore, should be invited to participate in the care conference.
5.	This is incorrect. The home care aide, while a member of the interprofessional team, would not benefit from attending a care conference while the patient is hospitalized.

PTS: 1 CON: Collaboration

29. ANS: 1, 2, 4

Chapter number and title: 1, Foundation of Medical-Surgical Nursing Practice

Chapter learning objective: Describing the role of interprofessional collaboration and teamwork in the provision of safe, quality patient care

Chapter page reference: 006-007

Heading: Interprofessional Collaboration and Communication

Integrated Processes: Nursing Process: Planning

Client Need: Safe and Effective Care Environment/Management of Care

Cognitive level: Analysis [Analyzing]

Concept: Collaboration

Difficulty: Difficult

	Feedback
1.	This is correct. Effective clinical reasoning is a skill required for the nurse to assume the role of care coordinator.
2.	This is correct. Effective communication is a skill required for the nurse to assume the role of care coordinator.
3.	This is incorrect. Effective infection control procedures are expected to meet the standard

	of care; however, this skill is not required for the nurse to assume the role of care coordinator.
4.	This is correct. Effective documentation, a form of communication, is a skill required for the nurse to assume the role of care coordinator.
5.	This is incorrect. Effective intravenous skills are not required for the nurse to assume the role of care coordinator.

PTS: 1 CON: Collaboration

30. ANS: 2, 3, 4, 5

Chapter number and title: 1, Foundations of Medical-Surgical Nursing Practice

Chapter learning objective: Discussing implications to medical-surgical nurses of Quality and Safety Education for Nurses (QSEN) competencies

Chapter page reference: 5, 6

Heading: Patient Safety Outcomes

Integrated Processes: Nursing Process, Communication and Documentation

Client Need: Safe and Effective Care Environment

Cognitive level: Analysis [Analyzing]

Concept: Nursing, Nursing Roles, Safety

Difficulty: Difficult

	Feedback
1.	This is incorrect. Cardiorespiratory alarms are set specifically for the patient who is being monitored with this equipment. Silencing the monitor during family visits increases the likelihood that changes in the patient's status will be missed because the alarm will not sound when changes occur.
2.	This is correct. Removing clutter from the patient's room decreases the risk of accidental falls and enhances patient safety.
3.	This is correct. The SBAR method of documentation enhances communication between the patient's health-care providers.
4.	This is correct. Encouraging hand hygiene decreases the risk of patient infection.
5.	This is correct. Two sources of data are required when identifying the patient. Asking the patient for their date of birth is an appropriate nursing action that enhances safety when providing care.

PTS: 1 CON: Nursing | Nursing Roles | Safety